

FISHERIES EDUCATION AND TRAINING AGENCY - MBEGANI CAMPUS

ORDINARY DILOMA IN AQUACULTURE

Overall Summary Results

NTA Level: 6 Year of Study: 2021/2022 Semester: TWO

Date of Results Submission: AUGUST 2022 Weight CA : 60% Weight SE : 40%

SN	Reg. No.	Aquaculture and Environment					Fish Health management and disease in Aquaculture					Aquaculture Management					Project Management					Food Quality Assurance					Project Work					Professionalism and Ethics					Semester 2 GPA	Course Work Attendance	Remarks																																			
		9 AQT06 208										10 AQT06 209										10 AQT06 210										7 AQT06 211										6 AQT06 212										11 AQT06 213										8 AQT06 214												
		CA	SE	Total	Grade	Pass	CA	SE	Total	Grade	Pass	CA	SE	Total	Grade	Pass	CA	SE	Total	Grade	Pass	CA	SE	Total	Grade	Pass	CA	SE	Total	Grade	Pass	CA	SE	Total	Grade	Pass				CA	SE	Total	Grade	Pass																														
1	NS3226/0155/2018	43.0	28.0	71	B+	36	53.0	29.0	82	A	50	45.0	29.0	74	B+	40	52.0	37.0	89	A	35	49.0	29.0	78	A	30	72	72	B+	44	40.0	27.0	67	B+	32	4.3	79.4	PASS																																				
2	NS4592/0122/2018	42.0	25.0	67	B+	36	44.0	28.0	72	B+	40	39.0	28.0	67	B+	40	41.0	36.0	77	A	35	45.0	32.0	77	A	30	73	73	B+	44	40.0	29.0	69	B+	32	4.2	81.1	PASS																																				
3	NS1330/0001/2016	40.0	32.0	72	B+	36	48.0	28.0	76	A	50	35.0	27.0	62	B	30	39.0	32.0	71	B+	28	42.0	26.0	68	B+	24	78	78	A	55	40.0	26.0	66	B+	32	4.1	75.0	PASS																																				
4	NS0688/0065/2018			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0	0.0		7 MODULEREPEAT.																																			
5	NS2143/0003/2017	37.0	26.0	63	B	27	38.0	22.0	60	B	30	43.0	16.0	59	B	30	46.0	30.0	76	A	35	40.0	23.0	63	B	18	67	67	B+	44	45.0	22.0	67	B+	32	3.5	76.1	1 SUP																																				
6	NS0251/0003/2018	36.0	26.0	62	B	27	48.0	37.0	85	A	50	38.0	19.0	57	B	30	36.0	24.0	60	B	21	42.0	27.0	69	B+	24	62	62	B	33	35.0	20.0	55	B	24	3.4	77.2	PASS																																				
7	NS0536/0010/2018	36.0	26.0	62	B	27	41.0	24.0	65	B+	40	34.0	27.0	61	B	30	45.0	29.0	74	B+	28	36.0	25.0	61	B	18	8	8	F	0	33.0	27.0	60	B	24	2.7	77.8	1 MODULEREPEAT.																																				
8	NS0441/0011/2018	42.0	25.0	67	B+	36	33.0	30.0	63	B	30	44.0	26.0	70	B+	40	50.0	33.0	83	A	35	43.0	27.0	70	B+	24	77	77	A	55	41.0	31.0	72	B+	32	4.1	81.7	PASS																																				
9	NS1268/0129/2018	35.0	24.0	59	B	27	40.0	30.0	70	B+	40	43.0	14.0	57	B	30	46.0	36.0	82	A	35	45.0	32.0	77	A	30	76	76	A	55	50.0	29.0	79	A	40	4.2	80.0	1 SUP																																				
10	NS0258/0008/2018	36.0	26.0	62	B	27	52.0	31.0	83	A	50	40.0	24.0	64	B	30	39.0	30.0	69	B+	28	43.0	24.0	67	B+	24	77	77	A	55	36.0	24.0	60	B	24	3.9	77.8	PASS																																				
11	NS1678/0074/2018	45.0	30.0	75	A	45	39.0	30.0	69	B+	40	37.0	29.0	66	B+	40	50.0	37.0	87	A	35	51.0	34.0	85	A	30	73	73	B+	44	42.0	27.0	69	B+	32	4.3	78.3	PASS																																				
12	NS3223/0027/2018	51.0	32.0	83	A	45	41.0	34.0	75	A	50	47.0	26.0	73	B+	40	45.0	38.0	83	A	35	49.0	35.0	84	A	30	85	85	A	55	42.0	23.0	65	B+	32	4.7	82.2	PASS																																				
13	NS0323/0042/2018	37.0	24.0	61	B	27	46.0	31.0	77	A	50	50.0	28.0	78	A	50	40.0	29.0	69	B+	28	43.0	25.0	68	B+	24	71	71	B+	44	41.0	23.0	64	B	24	4.0	82.8	PASS																																				
14	NS3269/0052/2018	36.0	24.0	60	B	27	46.0	28.0	74	B+	40	36.0	17.0	53	C	20	37.0	34.0	71	B+	28	41.0	21.0	62	B	18	75	75	A	55	43.0	21.0	64	B	24	3.4	81.7	1 SUP																																				
15	NS1833/0022/2018			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0	0.0		7 MODULEREPEAT.																																			
16	NS1433/0005/2018	36.0	18.0	54	C	18	49.0	33.0	82	A	50	38.0	12.0	50	C	20	28.0	24.0	52	C	14	33.0	19.0	52	C	12	77	77	A	55	31.0	24.0	55	B	24	3.1	78.3	1 SUP																																				
17	NS0917/0006/2018	40.0		40	D	9	47.0		47	C	20	42.0		42	D	10	39.0		39	D	7	50.0		50	C	12	81	81	A	55	34.0		34	F	0	1.8	62.8	6 INCOMPLETE.																																				
18	NS1120/0024/2018	41.0	26.0	67	B+	36	46.0	38.0	84	A	50	47.0	20.0	67	B+	40	40.0	36.0	76	A	35	42.0	30.0	72	B+	24	86	86	A	55	47.0	23.0	70	B+	32	4.4	82.8	PASS																																				
19	NS0693/0092/2018	36.0	16.0	52	C	18	41.0	34.0	75	A	50	38.0	13.0	51	C	20	39.0	29.0	68	B+	28	36.0	23.0	59	B	18	76	76	A	55	37.0	26.0	63	B	24	3.4	82.2	2 SUP																																				
20	NS3771/0043/2018	36.0	30.0	66	B+	36	40.0	24.0	64	B	30	44.0	27.0	71	B+	40	47.0	33.0	80	A	35	46.0	30.0	76	A	30	76	76	A	55	46.0	28.0	74	B+	32	4.2	82.2	PASS																																				
21	NS0283/0005/2018	43.0	26.0	69	B+	36	47.0	35.0	82	A	50	42.0	26.0	68	B+	40	44.0	31.0	75	A	35	39.0	26.0	65	B+	24	81	81	A	55	37.0	20.0	57	B	24	4.3	82.2	PASS																																				
22	NS1330/0052/2016	35.0	21.0	56	B	27	42.0	38.0	80	A	50	37.0	17.0	54	C	20	33.0	30.0	63	B	21	34.0	19.0	53	C	12	77	77	A	55	36.0	20.0	56	B	24	3.4	77.8	1 SUP																																				
23	NS3277/0022/2016	42.0	25.0	67	B+	36	48.0	30.0	78	A	50	44.0	23.0	67	B+	40	48.0	36.0	84	A	35	48.0	29.0	77	A	30	87	87	A	55	31.0	25.0	56	B	24	4.4	80.0	PASS																																				
24	NS5031/0021/2018	39.0	23.0	62	B	27	53.0	23.0	76	A	50	34.0	18.0	52	C	20	43.0	25.0	68	B+	28	37.0	20.0	57	B	18	84	84	A	55	37.0	25.0	62	B	24	3.6	82.8	PASS																																				
25	NS3396/0048/2018	43.0	29.0	72	B+	36	49.0	33.0	82	A	50	42.0	22.0	64	B	30	42.0	35.0	77	A	35	46.0	32.0	78	A	30	78	78	A	55	43.0	29.0	72	B+	32	4.3	77.2	PASS																																				
26	NS1969/0102/2018	41.0	29.0	70	B+	36	49.0	34.0	83	A	50	40.0	30.0	70	B+	40	44.0	36.0	80	A	35	44.0	27.0	71	B+	24	81	81	A	55	37.0	29.0	66	B+	32	4.4	78.3	PASS																																				
27	NS2768/0261/2018	39.0	26.0	65	B+	36	46.0	25.0	71	B+	40	42.0	21.0	63	B	30	39.0	22.0	61	B	21	32.0	26.0	58	B	18	78	78	A	55	38.0	20.0	58	B	24	3.6	77.8	PASS																																				
28	NS2270/0084/2018	43.0	26.0	69	B+	36	51.0	32.0	83	A	50	45.0	24.0	69	B+	40	47.0	30.0	77	A	35	44.0	27.0	71	B+	24	77	77	A	55	40.0	23.0	63	B	24	4.3	78.9	PASS																																				
29	NS0888/0067/2017	48.0		48	C	18	52.0	38.0	90	A	50	44.0	30.0	74	B+	40	48.0	40.0	88	A	35	51.0	32.0	83	A	30	73	73	B+	44	42.0	28.0	70	B+	32	4.0	78.9	1 INCOMPLETE.																																				
30	NS4170/0111/2018	43.0	23.0	66	B+	36	36.0	32.0	68	B+	40	44.0	26.0	70	B+	40	41.0	25.0	66	B+	28	38.0	27.0	65	B+	24	66	66	B+	44	39.0	27.0	66	B+	32	4.0	78.9	PASS																																				
31	NS1860/0147/2018	40.0	27.0	67	B+	36	51.0	28.0	79	A	50	38.0	26.0	64	B	30	47.0	37.0	84	A	35	41.0	28.0	69	B+	24	74	74	B+	44	35.0	24.0	59	B	24	3.9	79.4	PASS																																				
32	NS3410/0024/2018	50.0	28.0	78	A	45	54.0	31.0	85	A	50	44.0	28.0	72	B+	40	55.0	34.0	89	A	35	50.0	32.0	82	A	30	82	82	A	55	41.0	27.0	68	B+	32	4.7	81.1	PASS																																				
33	NS1824/0061/2018	45.0	33.0	78	A	45	43.0	34.0	77	A	50	40.0	25.0	65	B+	40	44.0	30.0	74	B+	28	48.0		48	C	12	78	78	A	55	42.0		42	D	8	3.9	82.2	2 INCOMPLETE.																																				
34	NS4175/0025/2018			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0	0.0		7 MODULEREPEAT.																																			
35	NS4985/0017/2018	39.0	25.0	64	B	27	44.0	30.0	74	B+	40	42.0	25.0	67	B+	40	46.0	37.0	83	A	35	48.0	28.0	76	A	30	78	78	A	55	44.0	24.0	68	B+	32	4.2	83.3	PASS																																				
36	NS2316/0023/2018	52.0	31.0	83	A	45	43.0	28.0	71	B+	40	48.0	28.0	76	A	50	53.0	31.0	84	A	35	52.0	35.0	87	A	30	79	79	A	55	46.0	28.0	74	B+	32	4.7	81.7	PASS																																				
37	NS4212/0018/2018	45.0	31.0	76	A	45	49.0	37.0	86	A	50	42.0	26.0	68	B+	40	47.0	37.0	84	A	35	45.0	26.0	71	B+	24	55	55	B	33	45.0	22.0	67	B+	32	4.2	82.8	PASS																																				
38	NS4476/0016/2018	43.0	29.0	72	B+	36	49.0	28.0	77	A	50	38.0	26.0	64	B	30	46.0	35.0	81	A	35	45.0	28.0	73	B+	24	81	81	A	55	39.0	24.0	63	B	24	4.1	79.4	PASS																																				
39	NS0385/0037/2018	36.0	25.0	61	B	27	52.0	26.0	78	A	50	41.0	18.0	59	B	30	42.0	26.0	68	B+	28	31.0	25.0	56	B	18	73	73	B+	44	38.0	20.0	58	B	24	3.6																																						