FISHERIES EDUCATION AND TRAINING AGENCY
MBEGANI CAMPUS
NAME OF DEPARTMENT: AQUACULTURE
FIELD OF STUDY: TECHNICIAN CERTIFICATE IN AQUACULTURE TECHNOLOGY
SUMMARY OF RESULTS
NTA LEVEL: 5 **YEAR OF STUDY:** 2021/2022 **SEMESTER: TWO**
DATE OF RESULTS: AUGUST 2022 **WEIGHT CA** : 60% **WEIGHT SE** : 40%

SN	Reg. No.	Applied Microbiology (8 / AQT 05 208)					Fish Handling II (8 / AQT 05 209)					Aquaculture Engineering (11 / AQT 05 210)					Aquaculture Economics and Marketing (10 / AQT 05 211)					Introduction to Research Methods (8 / AQT 05 212)					Safety at Sea (8 / AQT 05 213)					Field Aquaculture Practical (8 / AQT 05 214)					Semester 2 GPA	Course Work Attendance (%)	Remarks
		CA	SE	Total	Grade	Points	CA	SE	Total	Grade	Points	CA	SE	Total	Grade	Points	CA	SE	Total	Grade	Points	CA	SE	Total	Grade	Points	CA	SE	Total	Grade	Points	CA	SE	Total	Grade	Points			
1	NS0845/0077/2009	44.0	28.0	72	B	24	41.0	26.0	67	B	24	53.0	25.0	78	B	33	43.0	28.0	71	B	30	41.0	23.0	64	C	16	43	38	81	A	32		78.0	78.0	B	24	3.0	88.3	PASS
2	NS0382/0062/2017	51.0	29.0	80	A	32	40.0	32.0	72	B	24	57.0	22.0	79	B	33	49.0	30.0	79	B	30	50.0	26.0	76	B	24	39	31	70	B	24		79.0	79.0	B	24	3.1	85.0	PASS
3	NS0704/0064/2019	46.0	32.0	78	B	24	42.0	32.0	74	B	24	52.0	26.0	78	B	33	55.0	29.0	84	A	40	42.0	29.0	71	B	24	46	36	82	A	32		80.0	80.0	A	32	3.4	88.3	PASS
4	NS1918/0060/2019	45.0	22.0	67	B	24	42.0	22.0	64	C	16	38.0	17.0	55	C	22	47.0	27.0	74	B	30	40.0	27.0	67	B	24	34	34	68	B	24		72.0	72.0	B	24	2.6	85.6	1 SUP
5	NS4609/0009/2019	41.0	29.0	70	B	24	45.0	30.0	75	B	24	34.0	20.0	54	C	22	47.0	26.0	73	B	30	36.0	24.0	60	C	16	40	25	65	B	24		80.0	80.0	A	32	2.8	87.8	PASS
6	NS3444/0002/2019	41.0	26.0	67	B	24	41.0	24.0	65	B	24	31.0	15.0	46	D	11	47.0	28.0	75	B	30	34.0	26.0	60	C	16	47	27	74	B	24		79.0	79.0	B	24	2.5	89.4	1 SUP
7	NS0265/0002/2019																																					
8	NS1430/0052/2009	39.0	21.0	60	C	16	40.0	21.0	61	C	16	33.0	17.0	50	C	22	36.0	19.0	55	C	20	46.0	17.0	63	C	16	35	24	59	C	16		74.0	74.0	B	24	2.1	87.2	3 SUP
9	NS1738/0070/2019	42.0	22.0	64	C	16	40.0	22.0	62	C	16	40.0	22.0	62	C	22	40.0	20.0	60	C	20	36.0	20.0	56	C	16	42	30	72	B	24		73.0	73.0	B	24	2.2	87.8	PASS
10	NS1117/0008/2005	44.0	20.0	64	C	16	44.0	27.0	71	B	24	35.0	22.0	57	C	22	41.0	29.0	70	B	30	41.0	29.0	70	B	24	48	32	80	A	32		82.0	82.0	A	32	2.9	88.9	PASS
11	NS5354/0086/2019	44.0	24.0	68	B	24	39.0	23.0	62	C	16	51.0	22.0	73	B	33	48.0	22.0	70	B	30	41.0	21.0	62	C	16	40	25	65	B	24		77.0	77.0	B	24	2.7	86.7	PASS
12	NS0970/0063/2019			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0.0	F	0	0.0		7 MODULEREPEAT.
13	NS0149/0035/1994			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0.0	F	0	0.0		7 MODULEREPEAT.
14	NS2629/0011/2019	41.0	24.0	65	B	24	40.0	31.0	71	B	24	39.0	24.0	63	C	22	45.0	20.0	65	B	30	37.0	21.0	58	C	16	47	28	75	B	24		84.0	84.0	A	32	2.8	89.4	PASS
15	NS2235/0077/2019	48.0	32.0	80	A	32	46.0	32.0	78	B	24	38.0	26.0	64	C	22	56.0	28.0	84	A	40	40.0	30.0	70	B	24	46	28	74	B	24		76.0	76.0	B	24	3.1	89.4	PASS
16	NS0895/0055/2019	36.0	26.0	62	C	16	40.0	30.0	70	B	24	39.0	22.0	61	C	22	45.0	24.0	69	B	30	43.0	23.0	66	B	24	46	31	77	B	24		84.0	84.0	A	32	2.8	89.4	PASS
17	NS2922/0105/2018			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0.0	F	0	0.0		7 MODULEREPEAT.
18	NS2453/0058/2010	36.0	24.0	60	C	16	40.0	22.0	62	C	16	31.0	16.0	47	D	11	46.0	22.0	68	B	30	35.0	19.0	54	C	16	43	23	66	B	24		81.0	81.0	A	32	2.3	86.7	2 SUP
19	NS1507/0115/2019	43.0	20.0	63	C	16	39.0	26.0	65	B	24	37.0	18.0	55	C	22	51.0	21.0	72	B	30	45.0	26.0	71	B	24	39	32	71	B	24		83.0	83.0	A	32	2.8	87.2	1 SUP
20	NS0850/0244/2019	40.0	27.0	67	B	24	38.0	22.0	60	C	16	39.0	24.0	63	C	22	47.0	28.0	75	B	30	45.0	22.0	67	B	24	39	29	68	B	24		78.0	78.0	B	24	2.6	88.9	PASS
21	NS0443/0065/2018			0	F	0	17.0		17	F	0	17.0		17	F	0	41.0		41	D	10	27.0		27	F	0			0	F	0			0.0	F	0	0.1		6 MODULEREPEAT. 1 INCOMPLETE.
22	NS2854/0098/2019	52.0	36.0	88	A	32	43.0	31.0	74	B	24	54.0	27.0	81	A	44	53.0	28.0	81	A	40	37.0	28.0	65	B	24	45	33	78	B	24		79.0	79.0	B	24	3.4	90.0	PASS
23	NS1576/0099/2009	41.0	24.0	65	B	24	34.0	26.0	60	C	16	35.0	18.0	53	C	22	43.0	25.0	68	B	30	44.0	17.0	61	C	16	48	29	77	B	24		80.0	80.0	A	32	2.6	87.8	2 SUP
24	NS4894/0059/2019	46.0	28.0	74	B	24	41.0	27.0	68	B	24	38.0	20.0	58	C	22	46.0	23.0	69	B	30	48.0	20.0	68	B	24	49	34	83	A	32		78.0	78.0	B	24	2.9	86.7	PASS
25	NS4252/0083/2019	40.0	25.0	65	B	24	36.0	28.0	64	C	16	40.0	22.0	62	C	22	42.0	26.0	68	B	30	39.0	18.0	57	C	16	46	35	81	A	32		74.0	74.0	B	24	2.6	89.4	1 SUP
26	NS2682/0131/2019	18.0		18	F	0	14.0		14	F	0	23.0		23	F	0	37.0		37	F	0	18.0		18	F	0			0	F	0			0.0	F	0	0.0		6 MODULEREPEAT. 1 INCOMPLETE.
27	NS0357/0088/2019	35.0	19.0	54	C	16	39.0	22.0	61	C	16	47.0	17.0	64	C	22	36.0	19.0	55	C	20	41.0	20.0	61	C	16	44	28	72	B	24		79.0	79.0	B	24	2.2	86.7	3 SUP
28	NS0386/0330/2019	41.0	25.0	66	B	24	39.0	27.0	66	B	24	36.0	22.0	58	C	22	47.0	26.0	73	B	30	41.0	30.0	71	B	24	46	28	74	B	24		81.0	81.0	A	32	2.9	90.6	PASS
29	NS5157/0084/2019	43.0	30.0	73	B	24	44.0	24.0	68	B	24	47.0	24.0	71	B	33	52.0	29.0	81	A	40	45.0	27.0	72	B	24	42	26	68	B	24		82.0	82.0	A	32	3.2	90.6	PASS
30	NS0980/0047/2019	44.0	26.0	70	B	24	41.0	28.0	69	B	24	34.0	15.0	49	D	11	39.0	23.0	62	C	20	45.0	23.0	68	B	24	44	31	75	B	24		76.0	76.0	B	24	2.4	88.3	1 SUP
31	NS1273/0096/2019	43.0	23.0	66	B	24	39.0	26.0	65	B	24	36.0	23.0	59	C	22	41.0	23.0	64	C	20	30.0	24.0	54	C	16	40	33	73	B	24		69.0	69.0	B	24	2.5	87.8	PASS
32	NS0613/0036/2011			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0.0	F	0	0.0		7 MODULEREPEAT.
33	NS2683/0033/2019	47.0	30.0	77	B	24	42.0	24.0	66	B	24	58.0	26.0	84	A	44	52.0	31.0	83	A	40	46.0	27.0	73	B	24	50	35	85	A	32		80.0	80.0	A	32	3.6	90.0	PASS
34	NS5560/0009/2019	39.0	22.0	61	C	16	41.0	24.0	65	B	24	40.0	20.0	60	C	22	43.0	17.0	60	C	20	36.0	20.0	56	C	16	46	30	76	B	24		78.0	78.0	B	24	2.3	89.4	1 SUP
35	NS1054/0026/2019	45.0	28.0	73	B	24	43.0	32.0	75	B	24	43.0	23.0	66	B	33	52.0	25.0	77	B	30	43.0	23.0	66	B	24	49	36	85	A	32		78.0	78.0	B	24	3.1	90.0	PASS
36	NS5168/0022/2019	44.0	24.0	68	B	24	40.0	24.0	64	C	16	38.0	24.0	62	C	22	45.0	22.0	67	B	30	43.0	26.0	69	B	24	33	27	60	C	16		79.0	79.0	B	24	2.5	90.0	PASS
37	NS1739/0128/2019	44.0	30.0	74	B	24	43.0	31.0	74	B	24	58.0	25.0	83	A	44	48.0	22.0	70	B	30	41.0	25.0	66	B	24	43	34	77	B	24		80.0	80.0	A	32	3.3	89.4	PASS
38	NS3531/0046/2019			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0.0	F	0	0.0		7 MODULEREPEAT.
39	NS3999/0050/2019	49.0	32.0	81	A	32	43.0	27.0	70	B	24	43.0	24.0	67	B	33	54.0	23.0	77	B	30	51.0	30.0	81	A	32	50	36	86	A	32		80.0	80.0	A	32	3.5	90.6	PASS
40	NS0324/0093/2002	45.0	29.0	74	B	24	47.0	29.0	76	B	24	47.0	25.0	72	B	33	51.0	22.0	73	B	30	50.0	24.0	74	B	24	33	34	67	B	24		86.0	86.0	A	32	3.1	87.2	PASS
41	NS3643/0054/2019			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0.0	F	0	0.0		7 MODULEREPEAT.
42	NS1470/0184/2019	42.0	23.0	65	B	24	43.0	20.0	63	C	16	39.0	23.0	62	C	22	38.0	24.0	62	C	20	33.0	22.0	55	C	16	48	30	78	B	24		76.0	76.0	B	24	2.3	88.9	PASS
43	NS3196/0075/2019	47.0	34.0	81	A	32	41.0	34.0	75	B	24	46.0	24.0	70	B	33	51.0	29.0	80	A	40	45.0	29.0	74	B	24	39	33	72	B	24		79.0	79.0	B	24	3.2	89.4	PASS
44	NS0308/0052/2019	42.0	24.0	66	B	24	43.0	20.0	63	C	16	35.0	20.0	55	C	22	43.0	19.0	62	C	20	36.0	21.0	57	C	16	40	27	67	B	24		87.0	87.0	A	32	2.5	90.6	1 SUP
45	NS3838/0046/2019	44.0	23.0	67	B	24	40.0	31.0	71	B	24	34.0	26.0	60	C	22	46.0	23.0	69	B	30	35.0	20.0	55	C	16	41	36	77	B	24		79.0	79.0	B	24	2.6	89.4	PASS
46	NS3345/0012/2017	51.0	30.0	81	A	32	44.0	33.0	77	B	24	50.0	26.0	76	B	33	54.0	28.0	82	A	40	42.0	30.0	72	B	24	51	35	86	A	32		84.0	84.0	A	32	3.5	89.4	PASS
47	NS0313/0032/1997	44.0	22.0	66	B	24	41.0	26.0	67	B	24	37.0	20.0	57	C	22	49.0	23.0	72	B	30	39.0	22.0	61	C	16	34	36	70	B	24		83.0	83.0	A	32	2.8	86.1	PASS
48	NS2670/0112/2019	47.0	31.0	78	B	24	42.0	30.0	72	B	24	47.0	24.0	71	B	33	47.0	24.0	71	B	30	44.0	24.0	68	B	24	41	35	76	B	24		82.0	82.0	A	32	3.1	90.6	PASS
49	NS5340/0035/2019			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0.0	F	0	0.0		7 MODULEREPEAT.
50	NS3705/0027/2019	47.0	29.0	76	B	24	41.0	28.0	69	B	24	48.0	26.0	74	B	33	52.0	26.0	78	B	30	36.0	27.0	63	C	16	40	29	69	B	24		79.0	79.0	B	24	2.8	90.6	PASS
51	NS5151/0162/2019	42.0	26.0	68	B	24	44.0	21.0	65	B	24	39.0	24.0	63	C	22	45.0	18.0	63	C	20	36.0	20.0	56	C	16	37	23	60	C	16		78.0	78.0	B	24	2.3	90.0	1 SUP
52	NS5418/0019/2019	44.0	25.0	69	B	24	39.0	24.0	63	C	16	41.0	26.0	67	B	33	48.0	24.0	72	B	30	42.0	23.0	65	B	24	46	35	81	A	32		85.0	85.0	A	32	3.1	89.4	PASS
53	NS0506/0037/2019	40.0	20.0	60	C	16	41.0	20.0	61	C	16	40.0	23.0	63	C	22	40.0	19.0	59	C	20	39.0	25.0	64	C	16	31	33	64	C	16		79.0	79.0	B	24	2.1	88.9	1 SUP
54	NS5377/0024/2019	45.0	31.0	76	B	24	40.0	24.0	64	C	16	47.0	21.0	68	B	33	51.0	24.0	75	B	30	37.0	23.0	60	C	16	45	36	81	A	32		82.0	82.0	A	32	3.0	85.0	PASS
55	NS2954/0041/2019			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0.0	F	0	0.0		7 MODULEREPEAT.
56	NS0584/0114/2019			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0	F	0			0.0	F	0	0.0		7 MODULEREPEAT.
57	NS4021/0044/2019	46.0	28.0	74	B	24	41.0	27.0	68	B	24	38.0	26.0	64	C	22	43.0	26.0	69	B	30	32.0	22.0	54	C	16	48	32	80	A	32		76.0	76.0	B	24	2.8	85.6	PASS
58	NS3948/0092/2019	43.0	31.0	74	B	24	46.0	32.0	78	B	24	55.0	23.0	78	B	33	49.0	29.0	78	B	30	48.0	25.0	73	B	24	50	29	79	B	24		85.0	85.0	A	32	3.1	86.1	PASS
59	NS3671/0044/2011	48.0	26.0	74	B	24	45.0	36.0	81	A	32	47.0	28.0	75	B	33	43.0	28.0	71	B	30	45.0	22.0	67	B	24	35	36	71	B	24		79.0	79.0	B	24	3.1	86.7	PASS
60	NS3875/0049/2019	45.0	26.0	71	B	24	45.0	31.0	76	B	24	33.0	24.0	57	C	22	43.0	26.0	69	B	30	47.0	23.0	70	B	24	48	34	82	A	32		80.0	80.0	A	32	3.0	87.2	PASS
61	NS4764/0029/2019	48.0	30.0	78	B	24	50.0	26.0	76	B	24	50.0	31.0	81	A	44	49.0	29.0	78	B	30	44.0	25.0	69	B	24	48	33	81	A	32		85.0	85.0	A	32	3.4	80.6	PASS
62	NS3614/0044/2019	51.0	25.0	76	B	24	41.0	30.0	71	B	24	41.0	21.0	62	C	22	55.0	26.0	81	A	40	45.0	26.0	71	B	24	37	24	61	C	16		82.0	82.0	A	32	2.9	84.4	PASS
63	NS4113/0071/2019	40.0	24.0	64	C	16	42.0	23.0	65	B	24	39.0	16.0	55	C	22	40.0	25.0	65	B	30	38.0	22.0	60	C	16	39	34	73	B	24		77.0	77.0	B	24	2.5	87.8	1 SUP
64	NS0583/0092/2019	46.0	32.0	78	B	24	40.0	24.0	64	C	16	45.0	16.0	61	C	22	52.0	20.0	72	B	30	40.0	23.0	63	C	16	40	31	71	B	24		80.0	80.0	A	32	2.6	89.4	1 SUP
65	NS3298/0089/2018	40.0	27.0	67	B	24	43.0	30.0	73	B	24	34.0	21.0	55	C	22	45.0	25.0	70	B	30	36.0	24.0	60	C	16	42	33	75	B	24		82.0	82.0	A	32	2.8	88.3	PASS

SN	MODULE NAME
1	Applied Microbiology
2	Fish Handling II

Name of Examination officer: .....
Signature of Examination officer: .....
Date: .....